

series emotion 700

type cucine elettriche piastre tonde/ electric ranges round plates

model EM 70/... PCE... EM 70/... CFE...

EM 70/40 PCE-T

EM 70/40 PCE

EM 70/40 PCE-P

EM 70/80 PCE-T

EM 70/80 PCE

EM 70/80 PCE-P

EM 70/80 CFE



Descrizione generale

Piano di lavoro in acciaio inox inossidabile AISI 304, spessore 15/10. Piano con vaso per la raccolta dei liquidi. Piastre di riscaldamento tonde di diametro 220 mm in ghisa con potenza 2,6 kW ciascuna, fissate ermeticamente al piano. Attivazione del riscaldamento segnalato da lampada spia posta sul pannello comandi. Temperatura di lavoro regolabile su 6 posizioni. Modelli su forno elettrico statico, capacità GN 2/1, controporta forno in acciaio inox con tenuta a labirinto. Camera cottura in acciaio inox. Riscaldamento forno tramite resistenze superiori ed inferiori a regolazione indipendente. Regolazione temperatura da 50°C a 300°C. Potenza 6 kW.

+ Plus costruttivi

- Piano di lavoro in 15/10
- Temperatura di lavoro regolabile su 6 posizioni
- Piano con vaso e piastre fissate ermeticamente

+ Plus prestazionali

- Modelli disponibili con forno elettrico statico

General description

Worktop in stainless AISI 304, 15/10 thickness. Recessed top to contain fluids. Cast iron round hotplates of Ø 220 mm with 2,6 kW output and hermetically sealed on the top. Indicator led on the control panel showing activation of heating. 6-position selector switch for heat adjustment. Models with electric oven, capacity GN 2/1, oven inner door in stainless steel with labyrinth sealing. Cooking chamber in stainless steel. Oven heated by top and bottom heating elements with independent regulation. Temperature adjustment from 50°C to 300°C. Power 6 kW.

+ Construction plus

- Worktop in 15/10
- 6-position selector switch for heat adjustment
- Recessed top and hotplates hermetically sealed

+ Performance plus

- Models available with electric static oven

series emotion 700

type cucine elettriche piastre tonde/ electric ranges round plates

model EM 70/... PCE... EM 70/... CFE...

dati tecnici technical data

	dimensioni <i>dimensions</i>	nr. piastre <i>no. square plates</i>	potenza piastra <i>burners power</i>	potenza forno <i>oven power</i>	potenza elettrica tot. <i>tot. electric power</i>
	cm LxWxH	-	kW	kW	kW
EM 70/40 PCE-T	40x73x25	2	2x2,6 kW	-	5,2 kW 380-415V 3N 50-60HZ
EM 70/40 PCE	40x73x87	2	2x2,6 kW	-	5,2 kW 380-415V 3N 50-60HZ
EM 70/40 PCE-P	40x73x87	2	2x2,6 kW	-	5,2 kW 380-415V 3N 50-60HZ
EM 70/80 PCE-T	80x73x25	4	4x2,6 kW	-	10,4 kW 380-415V 3N 50-60HZ
EM 70/80 PCE	80x73x87	4	4x2,6 kW	-	10,4 kW 380-415V 3N 50-60HZ
EM 70/80 PCE-P	80x73x87	4	4x2,6 kW	-	10,4 kW 380-415V 3N 50-60HZ
EM 70/80 CFE	80x73x87	4	4x2,6 kW	6 kW	16,4 kW 380-415V 3N 50-60Hz

Per tutti i modelli eccetto -T: regolazione altezza 50 mm

For all models except -T: height regulation 50 mm

Per tutti i modelli potenza disponibile anche a 220-240V 3 50-60Hz

For all models power also available at 220-240V 3 50-60Hz power


series emotion 700

type cucine elettriche piastre tonde/ electric ranges round plates

model EM 70/... PCE... EM 70/... CFE...

schema d'installazione

installation diagram



series emotion 700

type cucine elettriche piastre tonde/ electric ranges round plates

model EM 70/... PCE... EM 70/... CFE...

schema d'installazione

installation diagram

